

Company Background and Philosophy

Pazzaglia- A premier manufacturer of specialized nursery equipment worldwide.

Founded in 1983, Pazzaglia S.p.A. has grown from a small machine shop into a modern factory of heart production facilities. Over years their industry leading engineers and highly trained have designed and assembled thousands of machines for a worldwide nursery market. The factory is located in the perfect proving ground for their equipment in the renowned Pistoia growing region of Italy. Pistoia is home to over 1500 nurseries and considered the nursery capital of Europe.


Pazzaglia's goal is to provide superbly engineered, highly efficient and cost effective machinery for the daily tasks of the nursery. Focus is on conserving land, labor and energy. These issues have been primary for the European grower for many decades. In today's environment of costlier resources, efficiency is now also a primary focus of most American growers as well.

Pazzaglia machinery has the distinct advantage of being a long proven solution to these challenges. Our complete commitment to engineering quality, performance and reliability is coupled with our philosophy: design and build and money saving machinery that simultaneously improves plant quality and consistency.


If the challenge of labor costs and efficient land use are of concern to you...do as the Romans did and drive a Pazzaglia machine in your nursery today and see what you'll be saving!



Rotating Digging Head



Weight Transfer System



Hydraulic Track Adjustment



ROOT-BALLING EQUIPMENT

High strength steel blades

Applicable blades in inches: ϕ 16, 18, 20, 22, 24, 26, 28, 30, 32, 36, 40, 44, 48, 52, 56

New vibrator: hydraulic with controlled pulsation

Lateral rotation of root-balling device: 20° right- and leftwards to facilitate work in narrow row spacing

Controls: hydraulic controls

SPECIFICATIONS

Engine: KUBOTA V2203-E
Max. power: 46 HP at 3.000 rpm
Displacement: 2197 cc

Track system: rubber tracks, width 10"
8 large pulleys

Chassis with: floating frame system
weight transfer system - slide of 16"
rear stabilization foot

Forward / backward speed: 0 to 4mph

Operator seat: super comfort, optional super comfort extra

Options: Quick-release system, roof canopy, tree tyer, stake driver, excavator, pruning platform, etc.